

Performance you can trust

ROCOL[®]

SELECT

OUR EXPERTS' CHOICE
YOUR MAINTENANCE SOLUTION



High performance products chosen by our experts and trusted by our customers worldwide to deliver exceptional performance



Our experts have selected 15 essential products that our customers use and trust every day in businesses across the world.

Products that are proven to:

- ▶ reduce downtime
- ▶ avoid costly recalls
- ▶ improve operating efficiency
- ▶ comply with demanding audit requirements

SELECT THE BEST

For more information visit www.rocol.com/select



▶ Chain lubricants

Chain & Drive Spray

High performance chain and conveyor lubricant

Why SELECT it?

Protects and maximises life for all types of chains even in extreme conditions

- Ensures maximum penetration, lubrication and corrosion protection of links and pins of the chain
- Reduces 'throw off', dripping and protects in wet or humid environments
- Chainguard Hi-Load available for extreme applications e.g. fork lift truck chains

▶ Cleaners

Industrial Cleaner Rapid Dry Spray

Fast evaporating multi-purpose cleaner that removes all grime, grease, dirt and other workplace contamination

Why SELECT it?

- NSF K1 registered - suitable for use on food processing equipment and utensils
- Dries rapidly and completely leaving a residue free surface

Foam Cleaner

Fast acting white foam cleaner

Why SELECT it?

- The foam will cling to vertical surfaces, preventing contamination by run-off or dripping
- NSF A1 registered - suitable for use in and around food processing areas



▶ RTD products

Hand Applied Metal Cutting Lubricant

Why SELECT it? Doubles tool life, reduces tool wear, promotes improved surface finish, increases rates of metal removal, minimises waste and scrap, reduces drill and tap breakages

RTD Foamcut Spray

RTD in a convenient and clean foaming spray

- Easy and safe use on rotating applications
- Foaming action adheres to the tool, stays where it needs to be for longer
- Rapidly penetrates to the cutting edge, gets where it needs to be quickly
- Normal aerosol spray version available

Moisture Guard Spray

Thin, almost dry corrosion protective film

Why SELECT it?

For indoor corrosion protection of components such as bearings, gears, pressings and any machined metal product

- Flexible film, does not chip or break
- Protects against corrosion caused by moisture or damp atmospheres



RTD Liquid
Easy to apply liquid lubricant

- Flows to the cutting edge
- Oil and solvent free
- Available in a plastic squeeze bottle for easy application

RTD Compound

Soft low melting point paste

- Rolls Royce approved, spec CSS 137 Type B and C
- Formulated to cling to the tool, stays where it needs to be for longer



CL Chlorine Free versions available for RTD Compound and Liquid



'The Rocol team worked out exactly what was needed, saving the business both time and money.'

'The product we were using caused us to fail vital compliance testing. Rocol stepped in and came up with the ideal solution.'



Precision Silicone Spray

Multi-purpose, non-toxic silicone spray for use as an anti-stick agent

Why SELECT it?

Provides a light, long life lubricating film for applications such as links, pins, chutes, slides etc.

- Resists oxidation and corrosion
- Temperature range -50°C to +200°C

Dry PTFE Spray

Dry, lubricating film for applications such as guides, pins, chutes, slides etc.

Why SELECT it?

Provides a light, long lasting, totally dry lubricating film where silicones cannot be tolerated

- Temperature range -200°C to +270°C
- High percentage of micronised PTFE, chemical resistance that lubricates even in adverse conditions

▶ Anti-Seize

Anti-Seize Compound

An assembly and anti-seize lubricant for use on all static fasteners and mechanisms

Why SELECT it?

Protects against pick up and seizure issues even in extremely adverse conditions

- Lubricates, protects and eases dismantling
- Particularly suited to extreme wet conditions even when submerged in sea water environments
- Temperature range -50°C to +1100°C

'ROCOL's cutting edge solution prevents costly downtime.'



▶ Dry Lubricants

Solutions for when wet lubricants cannot be tolerated.

Dry Moly Spray

Dry film coating of molybdenum disulphide in aerosol form

Why SELECT it?

To provide wear resistance and lubrication to sliding mechanisms: plain bearings, pins, cams and slides where a wet lubricant cannot be tolerated

- Can also be used as a dry film chain lubricant where wet films cannot be tolerated
- Temperature range -50°C to +450°C
- Resistant to high loads (up to 7,000 kg/cm²)

▶ Penetrating Spray

Powerful release agent for corroded threaded fasteners and other seized components

Why SELECT it?

To penetrate and release seized or corroded fasteners even after prolonged periods of seizure

- Corrosion inhibitors provide a protective film against further attack after use
- Fast acting formulation so minimises time and effort



▶ Bearing greases

Sapphire Spray Grease

High performance aerosol applied grease

Why SELECT it?

For all types of bearings, slides, bushes, linkages and pins.

- Ideal electrical contact grease
- Particularly suitable for high speed bearings and those subjected to extremes of temperature
- Protects against corrosion in humid, damp and wet conditions

ROCOL Sapphire 2

Heavy duty bearing grease for all types of ball, roller and plain bearings

Why SELECT it?

To lubricate and protect all types of ball, roller and plain bearings

- Protects against corrosion in humid, damp and wet conditions
- Outstanding film strength, the grease stays where it is needed
- Temperature range -30°C to +160°C

Sapphire Advance 2

Multi-purpose grease, fortified with PTFE, for multiple applications

Why SELECT it?

Provides high load, EP performance of 560kg - superior to standard soap thickened lubricants

- Superior performance in high speed and high load conditions
- Long lasting grease - provides extended lubrication intervals



'We called Rocol in to solve a specific problem and ended up solving several more by ordering other products in the range.'

Visit www.rocol.com/select



PRODUCT	Code	Pack Size
Machine Shops		
RTD Liquid	53072	400g
	53521	350ml*
RTD Compound	53023	500g
	53513	450g*
RTD Foamcut Spray	53041	300ml
	53011	400ml**
Bearing Greases		
SAPPHIRE 2	12171	400g
SAPPHIRE Advanced 2	12441	380g
SAPPHIRE Spray Grease	34305	400ml
Chains		
Chain and Drive Spray	22001	300ml
Chainguard Hi-Load Spray	22141	300ml
*Chlorine Free **Spray version		

PRODUCT	Code	Pack Size
General Purpose		
Dry Moly Spray	10025	400ml
Precision Silicone Spray	34035	400ml
DRY PTFE Spray	34235	400ml
Moisture Guard		
Spray Green/Clear	69045	400ml
Anti-Seize		
Anti-Seize Compound	14033	500g
Penetrating Spray	14021	300ml
Cleaners		
Industrial Cleaner		
Rapid Dry Spray	34131	300ml
Foam Cleaner	34141	400ml

ASK THE EXPERTS

ROCOL has a long-held reputation for helping customers solve technical challenges. ROCOL's products are formulated to meet our customers' needs and provide advantages over other solutions. We work in partnership with our customers to optimise the performance and efficiency of our products in their systems. The right product, used effectively.

Arrange a site visit to discuss your requirements

- ▶ Talk to our experts who will help you choose the right product and provide valuable technical support



ROCOL® House,
Swillington, Leeds LS26 8BS
T +44 (0) 113 232 2600
F +44 (0) 113 232 2740
E customer.service@rocol.com
Part of ITW www.itw.com
www.rocol.com

Customer Service:
+44 (0)113 232 2700

customer.service@rocol.com

Technical Support:
+44 (0)113 232 2600

technical.lubricants@rocol.com



ROCOL® A division of **ITW** Ltd